

BAKERY



VENERE



Adjustable shelf height allows for flexible accommodation of products with varying dimensions.

Front and rear LED lighting is installed, with each shelf layer featuring integrated LED illumination to enhance the overall display effect.

Features a new aluminum-plastic alloy cold bridge partition sliding door with an automatic return function for improved thermal insulation and user convenience.

Color, LOGO, sticker pattern to create a unique sales scene.



Ventilated



Auto. Defrosting



Temperature +2-+8°C



Climate Class 4: 30°C/55%

VENERE

LED lighting system on the ceiling and each shelf, energy-saving and durability

Adjustable shelf height allows for flexible accommodation of products with varying dimensions:

Intelligent temperature control system(rear)

With wheel and feet design, easy to move and fix(bottom)




Heritage classic design, simple and generous, durable

The glass incorporates hot air anti-condensation technology

Panel in painted metal, color and logo can be customized

Technical Specification

Soecification



VENERE



Model	Dimensions L*W*H (mm)	Working temp (°C)	Refrigerant	Voltage V/Ph/Hz	Input power (W)
VENERE 9	900*680*1300	+2~+8°C	R290	220/1/50 220/1/60	600 675
VENERE 12	1200*680*1300	+2~+8°C	R290	220/1/50 220/1/60	710 800
VENERE 15	1500*680*1300	+2~+8°C	R290	220/1/50 220/1/60	760 850
VENERE 18	1800*680*1300	+2~+8°C	R290	220/1/50 220/1/60	850 950

VENERE



Qingdao CLABO EasyBest Refrigeration Equipment Co.,Ltd.

Tel : +86-532-55677991

Free service call :

400-069-6799

Service Hotline: +86-15864299919

E-mail: info@qdeasybest.com

[Http://www.qdeasybest.com](http://www.qdeasybest.com)

No.2 Ronghai road
Jihongtan street,Chengyang
district,Qingdao Shandong,
China 266109



EasyBest